

## **4230 FIRST AID KIT- 4230 first aid kit**

**Honeywell Safety Products USA, INC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

## **4230 First Aid Kit (Burn Relief WS, EW, ASA, amm. Inh, BZK wipeTriple- 68140LBR)**

### **Eyewash**

#### ***Active ingredient***

Sterile Water 99%

### **Eyewash**

#### ***Purpose***

Eyewash

### ***Eyewash***

#### ***Uses***

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

### **Eyewash**

#### ***Warnings***

**For external use only** Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

#### **Do not use**

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

#### **Stop use and ask a doctor if**

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

#### **Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

### **Eyewash**

#### ***Directions***

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

### **Eyewash**

### ***Inactive ingredients***

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

### **Eyewash**

#### ***Questions***

1-800-430-5490

### **Aspirin**

#### ***Active ingredient (in each tablet)***

Aspirin 325 mg (NSAID)\* \*nonsteroidal anti-inflammatory drug

### **Aspirin**

#### ***Purpose***

Pain reliever/fever reducer

### **Aspirin**

#### ***Uses***

temporarily reduces fever and relieves minor aches and pains associated with:

- a cold
- headache
- toothache
- muscular aches
- backache
- minor pain of arthritis
- premenstrual and menstrual periods

### **Aspirin**

#### ***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:are:

- age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product

- take more or for a longer time than directed

**Do not use**

- if you are allergic to aspirin or any other pain reliever/fever reducer

**Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you are taking a diuretic
- you have asthma

**Ask a doctor or pharmacist before use if you are**

- taking a prescription drug for diabetes, gout or arthritis

**Stop use and ask a doctor if**

- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- ringing in the ears or loss of hearing occurs
- any new symptoms appear

**If pregnant or breast-feeding,**

**If pregnant or breast-feeding,** ask a health professional before use. It is especially important not to use aspirin during the last three months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.**

- In case of overdose, get medical help or contact Poison Control Center right away.

**Aspirin*****Directions***

- drink a full glass of water with each dose
- adults and children 12 years of age and older: take 1 or 2 tablets every 4 hours while symptoms last, not more than 12 tablets in 24 hours
- children under 12 years of age: consult a doctor

**Aspirin*****Other information***

- store at room temperature 15° - 30°C (59° - 86°F)
- TAMPER EVIDENT PACKETS
- DO NOT USE IF OPEN OR TORN

**Aspirin**

***Inactive ingredients***

corn starch, croscarmellose sodium\*, hypromellose\*, microcrystalline cellulose\*, mineral oil\*, polyethylene glycol\*, povidone, propylene glycol, silicon dioxide, stearic acid\*, titanium dioxide\*

\*may contain these ingredients

**Aspirin*****Questions or Comments***

1-800-430-5490

**Ammonia*****Active ingredient***

Ammonia 15%

**Ammonia*****Purpose***

Respiratory stimulant

**Ammonia*****Uses***

- to prevent or treat fainting

**Ammonia*****Warnings*****For external use only****Do not use**

- if you have breathing problems such as asthma or emphysema

**Stop use and ask a doctor if**

- condition persists

**Keep out of reach of children**

- If swallowed get medical help or contact a Poison Control Center right away.

**Ammonia*****Directions***

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

**Ammonia*****Other information***

- store at room temperature away from light

**Ammonia**

***Inactive ingredient***

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

**Ammonia*****Questions or Comments?***

1-800-430-5490

**BZK Wipes*****Active ingredient***

Benzalkonium chloride 0.13% w/v

**BZK Wipe*****Purpose***

First aid antiseptic

**BZK Wipes*****Uses***

- Antiseptic cleansing of face, hands, and body without soap and water

**BZK Wipes*****Warnings*****For external use only****Do not use**

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

**Stop use and ask a doctor if**

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

**BZK Wipe*****Directions***

- tear open packet and use as a washcloth

**BzK Wipe*****Other information***

- store at room temperature 15<sup>0</sup> to 30<sup>0</sup> C (59<sup>0</sup> - 86<sup>0</sup> F)
- do not reuse towelette

**BZK Wipe**  
***Inactive ingredient***

water

**BZK Wipe**  
***Questions***

1-800-430-5490

**Burn Relief Spray WS**  
***Active ingredient***

Benzethonium chloride 0.2% w/w

Benzocaine 10% w/w

Menthol 0.33% w/w

**Burn Spray WS**  
***Purpose***

Topical antiseptic

Topical anesthetic

Topical anesthetic

**Burn Spray WS**  
***Uses***

for the temporary relief of pain and itching and helps protect against infection in:

- minor cuts and scrapes
- burns
- sunburn
- insect bites
- minor skin irritations

**Burn SprAy WS**  
***Warnings***

**For external use only**

**Flammable**

keep away from fire or flame

contents under pressure

do not puncture or incinerate container

do not expose to temperatures above 120 0 F

**Do not use**

- in or near the eyes or other mucous membranes
- in case of serious burns
- in case of deep or puncture wounds
- for prolonged period of time
- on large portion of the body

**Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- condition clears up and recurs within a few days
- redness, swelling, or irritation occurs

**Keep out of the reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Burn Spray WS*****Directions***

- clean the affected area
- shake can well before using
- hold 4 - 6 inches from surface and spray area until wet
- may be covered with a sterile bandage, if bandaged let dry first
- for adult institutional use only
- not intended for use on children

**Burn Spray WS*****Other information***

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating or inhaling the contents may be harmful or fatal

**Burn Spray WS*****Inactive ingredients***

dipropylene glycol, isobutane, n-butane, propane

**Triple*****Active ingredients***

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

**Triple*****Purpose***

First aid antibiotic

First aid antibiotic

First aid antibiotic

**Triple*****Uses***

- first aid to help prevent infection in
- minor cuts
- scrapes
- burns

**Triple**  
**Warnings**

**For external use only**

**Allergy alert** do not use if you are allergic to any of the ingredients

**Do not use**

- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- a deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

**Keep out of the reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Triple**  
**Directions**

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

**Triple**  
**Other information**

- store at 15 ° to 25 ° C (59 ° to 77 ° F)
- tamper evident sealed packets
- do not use if packet is torn or opened

**Triple**  
**Inactive ingredient**

petrolatum

**Triple**  
**Questions?**

1-800-430-5490

**4230**  
**68140LBR KIT CONTENTS**

1 1X3 PLASTIC 100/BOX



1 FINGERTIP "T" WOVEN 40/BOX  
1 1X3 WOVEN SING 50/BOX  
1 SWIFT KNUCKLE 40/BX  
1 AMMONIA INHALANTS 10 PER  
1 INSTANT COLD PACK 4" X 6"  
1 ELASTIC TAPE 1" X 5YD  
1 O/H TAPE ADHESIVE TRI-CUT  
1 FIRST AID GUIDE ASHI  
4 GAUZE CLEAN-WRAP BDGE N/S 2"  
1 BLOODSTOPPER  
1 GZE PADS STERILE 4"X 4" 10'S  
2 GZE PADS STERILE 2"X 2" 25'S  
1 CO-FLEX BANDAGE 2"X 5YDS TAN  
1 COTTON TIPS 100 PER VIAL  
1 ANTISEPTIC WIPES BZK CHL 20'S  
1 ASPIRIN IND PK 5 GR 2/ENV 250  
1 BURN SPRAY 3 OZ  
1 TRIPLE BIOTIC .5 GRAM PKT 20  
4 1 OZ, BUFF EYEWASH  
1 SCISSOR BDGE 4" RED PLS HDL  
1 KIT TWEEZER 3 1/2" SLANTED  
1 F A KIT EMPTY BLANK 140  
1 POCKET INSERT RED #140 KIT 2R  
1 TONGUE BLADES SR WRAPPED 6'S  
1 LBL STOCK 6-3/8"X4"  
1 LBL STOCK 4"X2-7/8"  
2 PR LRG NITRILE GLVES ZIP BAG  
2 TRI BNDG NON WOVEN 40"X40"X56"  
10 NON ADHERENT PAD 2" X 3"  
1 RED BIO BAGS 2/BX

**Eyewash**

***Principal Display Panel***

Honeywell

TAMPER-EVIDENT CAP.  
TAPA CON SELLO DE SEGURIDAD.  
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS  
EYESALINE

Solución  
Isotónico Estéril

EYESALINE  
EYEWASH

Sterile  
Isotonic Solution

LAVAGE  
OCULAIRE  
EYESALINE

La Solution  
Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528



#### Drug Facts (for USA only)

| Active ingredient  | Purpose |
|--|---------|
| Sterile water 99%  | Eyewash |
| <b>Uses</b><br>for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.  |         |
| <b>Warnings</b><br><b>For external use only</b> - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.<br><b>Do not use</b><br>• if solution changes color or becomes cloudy<br>• if you have open wounds in or near the eyes, get medical help right away<br><b>Stop use and consult a doctor if:</b><br>• you experience eye pain • changes in vision<br>• continued redness or irritation of the eye<br>• condition worsens or persists<br><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away. |         |
| <b>Directions</b><br>• remove contacts before using • twist top to remove<br>• flush the affected area as needed<br>• control rate of flow by pressure on the bottle<br>• if necessary, continue flushing with emergency eyewash or shower   |         |
| <b>Inactive ingredients</b><br>sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic   |         |
| <b>Questions?</b> Call 1-800-430-5490<br>Honeywell Safety Products USA, Inc. Smithfield, RI. 02917   |         |

LABEL 432-004510 Rev. J REORDER / NUEVO PEDIDO / RÉAPPROVISIONNEMENT 432-000454-0000

space for lot code and supplier part number

PEEL / PELAR / PELER


#### Datos de medicamento (Para EE.UU. solamente)

| Ingrediente Activo   | Propósito |
|--|-----------|
| Agua estéril 99%   | Lavaojos  |
| <b>Usos</b><br>para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aeros, o agua de cloruro.  |           |
| <b>Advertencias</b><br><b>Para el uso externo sólo</b> - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.<br><b>No se use</b> • si la solución se enturbia o cambia de color<br>• si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato<br><b>Deje de usar y consulte a un médico si:</b><br>• experimenta dolor de ojo • cambio de visión<br>• rojez continuo o irritación del ojo<br>• la condición empeora o persiste<br><b>Manténgase fuera del alcance de los niños.</b><br>En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente. |           |
| <b>Instrucciones</b><br>• quítense los lentes de contacto antes de usar la solución<br>• tuerza la tapa para quitar<br>• enjuague el área afectada según se necesite<br>• controle el chorro haciendo presión en la botella<br>• si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia  |           |
| <b>Ingredientes inactivos</b><br>cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico  |           |
| <b>¿Preguntas?</b> Llame al 1-800-430-5490<br>Honeywell Safety Products USA, Inc. Smithfield, RI. 02917  |           |

#### Information



|  |
|--|
| <b>Usages</b><br>Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.  |
| <b>Advertissements</b><br><b>Pour usage externe seulement</b> - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-le.<br><b>Ne pas utiliser</b><br>• si la solution a changé de couleur ou si elle est brouillée<br>• si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin<br><b>Cesser d'utiliser la solution et consulter un médecin</b><br>• vous ressentez une douleur oculaire • si votre vision change<br>• rougeur ou irritation persistante des yeux<br>• condition empire ou persiste<br><b>Garder hors de la portée des enfants.</b><br>En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison. |
| <b>Mode d'emploi</b><br>• enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant<br>• si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche  |
| <b>Ingédients</b> eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium  |
| <b>Des questions?</b> Faites le 1-800-430-5490<br>Honeywell Safety Products USA, Inc. Smithfield, RI. 02917  |

Aspirin  
Principal Display Panel





Ammonia  
Principal Display Panel

796006 Rev. E Unit Carton Printing Plate for "A" size carton.



## Principal Display Panel



## Burn Spray WS Principal Display Panel

SHAKE WELL BEFORE USING

# Honeywell

## BURN SPRAY

Water soluble  
**Benzethonium chloride**  
Topical antiseptic  
**Benzocaine**  
Topical anesthetic  
**Menthol**  
Topical anesthetic

Provides antiseptic treatment  
and helps relieve the pain of minor burns  
and sunburn.

**CAUTION: FLAMMABLE**  
Contents under pressure  
Read warning on back panel.

NET WT. 3 OZ (85gm.)

47.0306

Cat. No. 201005

### DRUG FACTS

#### Active ingredients

Benzethonium chloride 0.2% w/w  
Benzocaine 1.0% w/w  
Menthol 3.3%

#### Purpose

Topical antiseptic  
Topical anesthetic  
Topical anesthetic

#### Uses

• for the temporary relief of pain and itching and helps to protect against infection in  
• minor cuts and scrapes • burns • sunburn • insect bites • minor skin irritations

#### Warnings

##### For external use only

**Flammable** • keep away from fire or flame • contents under pressure  
• do not puncture or incinerate container • do not expose to temperatures above 120°F

**Do not use** • in or near eyes or other mucous membranes • in case of serious burns  
• in case of deep or puncture wounds • for a prolonged period of time  
• on large portion of the body

##### Stop use and ask a doctor if:

• conditions worsens or symptoms persist for more than 7 days  
• condition clears up and recurs within a few days  
• redness, swelling or irritation occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

• clean the affected area • shake can well before using  
• hold 4-6 inches from surface and spray area until wet  
• may be covered with a sterile bandage. If bandaged, let dry first  
• for adult institutional use only • not intended for use on children

#### Other information

• avoid inhaling • use only as directed  
• intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

**Inactive ingredients** dipropylene glycol, isobutane, n-butane, propane

**Questions or comments?** 1-800-430-5490



Distributed by  
Honeywell Safety  
Products USA, Inc.  
Smithfield, RI 02917

**Honeywell**

4230 Kit Label  
68140L





# BRONER

## GLOVE AND SAFETY

### 1-800-521-1318



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

#### 4230 FIRST AID KIT

4230 first aid kit kit

##### Product Information

|              |                |                    |               |
|--------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0498-4230 |
|--------------|----------------|--------------------|---------------|

##### Packaging

| # | Item Code        | Package Description                           | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0498-4230-01 | 1 in 1 KIT; Type 0: Not a Combination Product | 10/18/2018           |                    |

##### Quantity of Parts

| Part # | Package Quantity | Total Product Quantity |
|--------|------------------|------------------------|
| Part 1 | 4 BOTTLE         | 120 mL                 |
| Part 2 | 20 PACKET        | 28 mL                  |
| Part 3 | 125 PACKET       | 250                    |
| Part 4 | 10 AMPULE        | 3 mL                   |
| Part 5 | 1 CAN            | 85 g                   |
| Part 6 | 20 PACKET        | 10 g                   |

Part 1 of 6

EYESALINE EMERGENCY EYEWASH

purified water liquid

| Product Information     |               |
|-------------------------|---------------|
| Item Code (Source)      | NDC:0498-0100 |
| Route of Administration | OPHTHALMIC    |

| Active Ingredient/Active Moiety                    |                   |                   |
|--|-------------------|-------------------|
| Ingredient Name                                    | Basis of Strength | Strength          |
| WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R) | WATER             | 98.6 mL in 100 mL |

| Inactive Ingredients  |          |
|---|----------|
| Ingredient Name   | Strength |
| SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN) |          |
| SODIUM CHLORIDE (UNII: 451W47IQ8X)                          |          |
| SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)                |          |

| Packaging |                  |  |                      |                    |
|-----------|------------------|--|----------------------|--------------------|
| #         | Item Code        | Package Description                                  | Marketing Start Date | Marketing End Date |
| 1         | NDC:0498-0100-01 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product |                      |                    |

| Marketing Information |  |                      |                    |
|-----------------------|--|----------------------|--------------------|
| Marketing Category    | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph final   | part349                                  | 12/18/2018           |                    |

Part 2 of 6

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

| Product Information     |               |
|-------------------------|---------------|
| Item Code (Source)      | NDC:0498-0501 |
| Route of Administration | TOPICAL       |

| Active Ingredient/Active Moiety |  |
|---------------------------------|--|
|---------------------------------|--|



| Ingredient Name   | Basis of Strength     | Strength       |
|---|-----------------------|----------------|
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y) | BENZALKONIUM CHLORIDE | 1.3 mg in 1 mL |

Inactive Ingredients

| Ingredient Name          | Strength |
|--------------------------|----------|
| WATER (UNII: 059QF0KO0R) |          |

Packaging

| # | Item Code        | Package Description                                   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0498-0501-00 | 1.4 mL in 1 PACKET; Type 0: Not a Combination Product |                      |                    |

Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part333E                                 | 12/21/2017           |                    |

Part 3 of 6

ASPIRIN

aspirin tablet

Product Information

|                         |               |
|-------------------------|---------------|
| Item Code (Source)      | NDC:0498-0114 |
| Route of Administration | ORAL          |

Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength |
|--|-------------------|----------|
| ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E) | ASPIRIN           | 325 mg   |

Inactive Ingredients

| Ingredient Name                                     | Strength |
|---|----------|
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)      |          |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) |          |
| STEARIC ACID (UNII: 4ELV7Z65AP)                     |          |
| STARCH, CORN (UNII: O8232NY3SJ)                     |          |
| POVIDONE (UNII: FZ989GH94E)                         |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                  |          |
| CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)            |          |
| HYPROMELLOSE 2208 (100 MPA.S) (UNII: B1QE5P712K)    |          |
| MINERAL OIL (UNII: T5L8T28FGP)                      |          |

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

Product Characteristics

|          |       |              |          |
|----------|-------|--------------|----------|
| Color    | white | Score        | 2 pieces |
| Shape    | ROUND | Size         | 10mm     |
| Flavor   |       | Imprint Code | FR21     |
| Contains |       |              |          |

Packaging

| # | Item Code        | Package Description                              | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0498-0114-01 | 2 in 1 PACKET; Type 0: Not a Combination Product |                      |                    |

Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part343                                  | 09/18/2018           |                    |

Part 4 of 6

AMMONIA INHALENT

ammonia inhalent inhalant

Product Information

|                         |                          |
|-------------------------|--------------------------|
| Item Code (Source)      | NDC:0498-3334            |
| Route of Administration | RESPIRATORY (INHALATION) |

Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength          |
|--|-------------------|-------------------|
| AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X) | AMMONIA           | 0.045 g in 0.3 mL |

Inactive Ingredients

| Ingredient Name            | Strength |
|----------------------------|----------|
| ALCOHOL (UNII: 3K9958V90M) |          |

Packaging

| # | Item Code        | Package Description                                   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0498-3334-00 | 0.3 mL in 1 AMPULE; Type 0: Not a Combination Product |                      |                    |

Marketing Information

| Marketing Category    | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other |  | 09/18/2018           |                    |

Part 5 of 6

BURN WATER SOLUBLE

benzocaine, benzethonium chloride, menthol spray

Product Information

|                         |               |
|-------------------------|---------------|
| Item Code (Source)      | NDC:0498-0021 |
| Route of Administration | TOPICAL       |

Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength     | Strength        |
|---|-----------------------|-----------------|
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)                    | MENTHOL               | 0.33 g in 100 g |
| BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP) | BENZETHONIUM CHLORIDE | 0.2 g in 100 g  |
| BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)              | BENZOCAINE            | 10 g in 100 g   |

Inactive Ingredients

| Ingredient Name                       | Strength |
|---------------------------------------|----------|
| ISOBUTANE (UNII: BXR49TP611)          |          |
| BUTANE (UNII: 6LV4FOR43R)             |          |
| PROPANE (UNII: T75W9911L6)            |          |
| DIPROPYLENE GLYCOL (UNII: E107L85C40) |          |

Packaging

| # | Item Code        | Package Description                              | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0498-0021-40 | 85 g in 1 CAN; Type 0: Not a Combination Product |                      |                    |

Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part348                                  | 09/19/2018           |                    |

Part 6 of 6

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

|                         |               |
|-------------------------|---------------|
| Item Code (Source)      | NDC:0498-0750 |
| Route of Administration | TOPICAL       |

Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength         |
|--|-------------------|------------------|
| BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)      | BACITRACIN        | 400 [iU] in 1 g  |
| POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K) | POLYMYXIN B       | 5000 [iU] in 1 g |
| NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)       | NEOMYCIN          | 3.5 mg in 1 g    |

Inactive Ingredients

| Ingredient Name               | Strength |
|-------------------------------|----------|
| PETROLATUM (UNII: 4T6H12BN9U) |          |

Product Characteristics

|          |       |              |  |
|----------|-------|--------------|--|
| Color    | white | Score        |  |
| Shape    |       | Size         |  |
| Flavor   |       | Imprint Code |  |
| Contains |       |              |  |

Packaging

| # | Item Code        | Package Description                                  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0498-0750-36 | 0.5 g in 1 PACKET; Type 0: Not a Combination Product |                      |                    |

Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part333B                                 | 09/19/2018           |                    |

Marketing Information

| Marketing Category    | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other |  | 10/18/2018           |                    |

Labeler - Honeywell Safety Products USA, INC (079287321)

| Establishment   |         |           |                        |
|-----------------|---------|-----------|------------------------|
| Name            | Address | ID/FEI    | Business Operations    |
| James Alexander |         | 040756421 | manufacture(0498-3334) |

| Establishment                      |         |           |                     |
|------------------------------------|---------|-----------|---------------------|
| Name                               | Address | ID/FEI    | Business Operations |
| Honeywell Safety Products USA, INC |         | 079287321 | pack(0498-4230)     |

| Establishment          |         |           |                        |
|------------------------|---------|-----------|------------------------|
| Name                   | Address | ID/FEI    | Business Operations    |
| Ultra Seal Corporation |         | 085752004 | manufacture(0498-0114) |

| Establishment     |         |           |                        |
|-------------------|---------|-----------|------------------------|
| Name              | Address | ID/FEI    | Business Operations    |
| Dixon Investments |         | 115315822 | manufacture(0498-0021) |

| Establishment          |         |           |                        |
|------------------------|---------|-----------|------------------------|
| Name                   | Address | ID/FEI    | Business Operations    |
| Water-Jel Technologies |         | 155522589 | manufacture(0498-0750) |

| Establishment                       |         |           |                        |
|-------------------------------------|---------|-----------|------------------------|
| Name                                | Address | ID/FEI    | Business Operations    |
| Honeywell Safety Products USA, Inc. |         | 167518617 | manufacture(0498-0100) |

| Establishment             |         |           |                        |
|---------------------------|---------|-----------|------------------------|
| Name                      | Address | ID/FEI    | Business Operations    |
| Changzhou Maokang Medical |         | 421317073 | manufacture(0498-0501) |

Revised: 3/2019

Honeywell Safety Products USA, INC